

Contemp



Level 1 Inclusions

So you know exactly what you get in your new Contemp Home.





Our dedicated team will ensure the process of building your new home is an enjoyable and stress free experience.

PRELIMINARIES

- Site inspection
- Construction Insurance, Public Liability, and Home Owner Warranty
- Plans, building and plumbing permits
- Designed to meet energy ratings for NSW or Victoria*

SITE WORKS AND SERVICES CONNECTIONS

- Comprehensive site supervision and QA checks on all materials used throughout construction
- Water connection to mains supply allowance up to 6 metres
- Power (single phase) underground connection to mains supply allowance up to 6 metres
- Sewer connection to mains allowance up to 15 metres
- Storm Water connection allowance up to 15 metres
- Gas connection point by builder supply and connection of meter by client
- Telecom conduit and draw wire by builder phone line in and connection by client
- Temporary fencing and site toilet supplied as required

GENERAL CONSTRUCTION

- Site preparation for slab allowance up to 300mm cut and fill. Extra cost may be incurred if site requires more extensive earth works to be determined at time of site inspection
- Concrete raft or waffle slab engineered to house design for class M site classification
- Termite treatment physical barrier to slab edge and slab penetrations
- MGP10 90mm structural pine wall frames and roof trusses in H2 termite treated timber
- Stud spacings at 450mm centres
- Steel roof battens
- Colorbond .42 bmt corrugated roof, Colorbond square line fascia and quad gutter and Colorbond flashings
- Ceiling height 2550mm*
- Insulation:
- Reflective foil/sisalation to external walls & under roof
- R2.5 insulation batts to external walls
- R5.0 insulation to ceilings

EXTERNAL CLADDING

- Face bricks client selection from Level 1 range options
- Natural grey colour raked or rolled mortar joints
- Weep hole inserts
- Other external finishes may apply depending on style/design of home

WINDOWS

- Aluminium powder coated sliding windows including fly screens with aluminium mesh and window locks (choice of manufacturers standard colours)
- Obscure glass to windows in bathroom, ensuite and toilets
- Aluminium powder coated sliding door to alfresco
- Brick infills over windows

DOORS AND DOOR FURNITURE

- Entrance door client selection from Level 1 range options
- Entrance door hardware client selection from Level 1 range options
- Internal doors 2040mm flush panel painted finish
- Door hardware Zanda Futura Epic
- 75mm brushed chrome door stops
- External solid core flush panel door to rear of garage
- External solid core half-light to laundry door
- Chrome finished hinges, latches and striker plates
- Weather seals to external doors
- Panel lift B & D door (choice of 4 profiles) motorised with 2 remotes, standard colours

PLASTER, SKIRTING AND ARCHITRAVES

- 2550mm ceiling heights
- 10mm plasterboard linings and ceilings on 16mm metal battens
- 6mm Villa board to wet areas
- 55mm Cove Cornice
- 92x18mm MDF single bevel skirting boards client to select profile
- 67x18mm MDF single bevel architraves client to select profile
- Manhole 600x600mm in garage

PAINTING

- Dulux premium wash & wear 3 coat paint system
- Gloss enamel finish to all internal woodwork all doors and all door jambs
- Acrylic low sheen washable paints to all walls and wet area ceilings
- Acrylic ceiling flat to all ceilings other than wet areas
- Exterior acrylic low sheen paints to applicable exterior surfaces

FLOOR COVERINGS

- Carpet to bedrooms Client selection from Level 1 range options
- Floor tiles to wet areas Client selection from Level 1 range ontions
- Vinyl or timber laminate to remainder Client selection from Level 1 range options
- Waterproofing to wet areas

ELECTRICAL

- RCD safety switch and circuit breaker to meter box
- Smoke detectors hard wired as per BCA
- Double power points as per electrical plan
- Light batten holders to Toilets, Pantry, Robes and Bedrooms. LED downlights to remainder
- Fluro lights to garage
- TV point x 2 and TV Antenna
- Phone point x 1
- Data point x 1
- Exhaust fans to showers and toilets
- Pendant light point/installation x 1 (light supplied by client)

PLUMBING

- HWS Solar gas boosted in Victoria (to meet energy ratings requirements)
- HWS Gas continuous flow in NSW
- Hot & cold supply with tempering valves
- External taps x 2 one at meter one to brick wall at rear of house
- Water tank Connected to Toilets (NSW only to meet energy ratings requirements)

KITCHEN

Layouts vary according to plan/design but include the following

- Laminate bench tops
- Base cabinets to 900mm with dishwasher provision incl power and water connection
- Overhead cabinets
- 1 set of 4 drawers with single cutlery insert
- Blum soft close drawers & doors
- Island bench
- 650mm tiled splash back
- 1 3/4 stainless-steel sink
- Sink mixer client selection from Level 1 range options
- Kleenmaid 12 place dishwasher
- Kleenmaid 600mm inbuilt oven
- Kleenmaid 600mm gas cook top
- Kleenmaid 600mm slide out range hood

PANTRY

• 4 shelves (melamine finish)

BATHROOMS

Main bathroom

- Laminate bench top
- Base cabinets to 850mm high
- 1 set of 3 drawers
- Basin/s client selection from Level 1 range options
- \bullet Basin Mixer client selection from Level 1 range options
- Shower set client selection from Level 1 range options
- Shower mixer client selection from Level 1 range options
- Soap holder
- 600mm double towel rail
- 10mm frameless or 6mm semi frameless shower screen

- Bath client selection from Level 1 range options
- 4mm Polished edge mirror
- Waste to bath, basin & shower
- Exhaust fan to shower
- Tiles height: 2100mm to shower, 650mm bath hob, 100mm skirt, 300mm splash back

Ensuite

- Laminate bench top
- Base cabinets to 850mm high
- 1 set of 3 drawers
- Basin/s client selection from Level 1 range options
- Basin Mixer client selection from Level 1 range options
- Shower set client selection from Level 1 range options
- Shower mixer client selection from Level 1 range options
- Soap holder
- 600mm double towel rail
- 10mm frameless or 6mm semi frameless shower screen
- Bath client selection from Level 1 range options (only applies to designs that include bath to ensuite)
- 4mm Polished edge mirror
- Waste to bath, basin & shower
- Exhaust fan to shower
- Tiles height: 2100mm to shower, 650mm bath hob, 100mm skirt, 300mm splash back

MAIN BEDROOM

• WIR with 2 x 4 shelf towers and one hanging rail

OTHER BEDROOMS

- Robes with 1 x 4 shelf tower and one hanging rail
- Robe doors are framed sliding Lamiwood Standard colours

TOILETS

- Back to wall toilet
- Toilet Roll holder
- Tiles to skirt 100mm
- Exhaust fan

LAUNDRY

- Laminate bench top
- Cabinets under sink open to remainder
- Inbuilt 45L stainless steel sink
- Sink Mixer with vegie spray
- Washing machine provision and taps
- External half light laundry door

HEATING AND COOLING

- Ducted gas heating with outlets to living areas and bedrooms
- Evaporative ducted cooling with outlets to living areas and bedrooms

ALFRESCO

- Alfresco will vary depending on house design/style
- Plaster lining to ceiling
- Concrete paving trowel finish

CONCRETE PAVING - TROWEL FINISH

- Driveway & crossover to 40m2 allowance
- Entry portico
- Laundry pad
- External garage door pad

EXCLUSIONS

- Blinds & window furniture
- Concrete paths
- Letterbox
- Clothesline
- Security system
- Landscaping, fencing and retaining walls
- Insulation to garage
- Account opening fees for service connections
- Removal of rocks & excess soil from earthworks
- Sheds
- Piers to slab if required



'We're here for you' Call us today 02 6024 5077

5 Footmark Court, Wodonga | 02 6024 5077 | www.contemphomes.com.au



*PLEASE NOTE;

- Inclusions/exclusions may vary depending on house plan and façade style selected
- State specific energy rating requirements may vary inclusions/exclusions depending on site location, house orientation and available services
- Location will vary BAL (Bushfire Activity Level) rating and may incur extra costs to comply with relevant regulations
- Site conditions and soil classification may incur additional costs if extra work is required over and above standard allowance
- If building in NSW there will be additional costs to cover council planning/DA requirements and the NSW long service levy which is applied to all construction in NSW.